






	8	}					_7		6		5			4			. 2	5	2		
						1		212-073-414-10	AIR OUTLET DUCT (LH)	BELL						2		NAS1169-3	WASHER		-
						1		212-073-414-10	2 AIR OUTLET DUCT (RH)	BELL						2		NAS43DD3-74	SPACER		<u> </u>
	111		11		1	1	11	412-073-112-10		BELL							2	NAS43DD3-25	SPACER		
			1			_	++	4 80-004-2-8	INSERT	BELL											
		1	+++	++	16		7	140-001-3	WASHER	BELL			1								
	+		1				+-+	140 001 0													
 	+	-	++	+	++									+	2			MS35882-14	CLAMP		
							1-1-					<u> </u>		+				MS27039-1-21	SCREW		
1	+ + +		$\dashv \dashv$				++									- -		MS27039-1-15	SCREW		
							4-4											MS27039-1-07	SCREW		
				_			1-1										1				
																2		MS27039-1-8	SCREW		-
																2		MS24665-155	COTTER-PIN		
1			f	R AR	AR	AR AR	2	INSOLITE	FOAM	BUCKLY INDUSTRIES								MS24665-151	COTTER-PIN		
							f	AR SCAT-16	AERODUCT (4" DIA)	THERMOID							I	MS21919WDG6	CLAMP		
							1	AR SCAT-14	AERODUCT (2.5" DIA)	THERMOID						4	3	MS21042L03	NUT		
				11				10 NT14	CABLE TIE (4" DIA)	DX ELEC-						10		MS20470AD4	RIVET		
								16 NT11	CABLE TIE (3" DIA)	DX ELEC.						6	7	MS20470AD3	RIVET		
			F	AR AR				AR 363-2	ALUM DUCT TAPE (2" WIDE)												
			+																		
		+++	+	++	-						 										
				1-			++					<u> </u>					3	AN960PD616L	WASHER		
		-	+++				++									1		AN960PD616	WASHER		
				-		_	++						 	-		2	$++\tau$	4 AN960PD10L	WASHER		
						_	1										6	1	WASHER		
							1-1								+	H - H	++-	4 AN3-44A	BOLT		
 							+							_			 	7 1313 131			
4																	+				-
							+ $+$						-				-				_
				R AR		AR AR	۲	08046	ADHESIVE	3M					 		+				
		AR A	R		_			RP1250	ADHESIVE	REM						1-1-1-	+	-107	BRKT	M/F:.032 THK ALL 2024-T3.00-A-250	JH
							- '	AR RTV 6806	SEALANT (TRANSLUCENT)	GE		-				 			BRKT	2024-T3, 00-A-250 M/F:. 032 THK ALL 2024-T3, 00-A-250	
		1					11									 		-105			
				_			11									1 1		-103	BRKT	M/F: 032 THK ALE 2024-13:00-A-250 M/F: 193 DIA R	
																	<u> </u>	-101	ROD	M/F: 193 DIA R 4130 STEEL	
																1 1		-99	FLAP	M/F:. 19 THK KYD KLEERDEX COMPRE	
																1 1		-97	LEVER	M/F: ANDIO134-10 2024-73511, QQ-8-20	0/3
																1 1		-95	SPACER	H/F: . 625 DIA RO 6061-1651, 00-A-22	
						1]]]		-93	DOUBLER	M/F:.032 THK AL 2024-T3.00-A-250	
				27				CR3243-4	RIVET	CHERRY				4 4				-91	SPACER	M/F: .375 DIA RO 606)-T651.00-A-22	
			77				2	JX-45	ACTUATOR	HONEYWELL							1	-89	FLAP	M/F:, 032 THK AL 2024-T3, 00-A-25	
			11	111			2	1SXI-T	SWITCH	HONEYWELL							1	-87	SPACER	M/F: NAS43DD4- SPRCER	
1 🛨					1			19827	FAN BLOWER	GLOBE MOTORS							1	-85	BRKT	M/F:. 100 THK AL 2024-13, QD-A-25	
			+++	-]		19A1771	FAN BLOWER	GLOBE MOTORS							1 1	-83	BRKT	M/F: 032 THK AL 2024-T3, QQ-A-25	
			++		1	+-+	1	0010034	VALVE MOTOR	MACE		-	111	++			11	-81	CLAMP	M/F:.50 THE PHENOLIC	
		++-	+	-			+++	001-0030-0	CLIP	MACE			+ + + +				++-	-79	OPEN		
11-		+			-			00100300	V 1	MACL			+++		+++	+-+-	++-	-77	OPEN		
	+++	_ - -											1-1-1		++++	 		-75	OPEN		-
					-	-							+-+-+					-73	OPEN		
			11									 	+ , + - +				-			M/F: , 062 THK K! KLEERDEX COMP	YDEX
A TO A	N ATO ATO	1	7 070	170 APU	57 ♥ X=0.	N 10 10 10 10 10 10 10 10 10 10 10 10 10	VINTE	GTV)				ות עדת ו) 	יהועות עומוע	ן מנעדמועדמוע	 Y QTYIOT		DUCT		
PER PE	Y OTY OTY C R PER PER F	ER PER P	ER PER	ERPER	ER PER	PER PE	RPER	PER PART		SPECIFICATION	IDENT NO.	PER PE	PER PER	PER PER P	Y DTY DTY QT R PER PER PE 7 -15 -13 -1	R PER PER PE	ER PER PE	R PER PA	PARTS LIST	N SPECIFICATI	1DEN
-29 -2	27 - 25 - 23 -	21 -19 -	17[-15]	-13 -11 -	-09 -07	-06 -D	75 -03	-U1 P	ARTS LIST		NU.	-24 -2	/1-25]-25	-511-141-	1 -15 -15 -1	1 -07 -01 -1	uo -uɔ -0	2 01	STZE SCHOE (DENS NO		, no.
1																			D OSUV8 B6	4-13021	Ţ
1																			BLEED AIR ECU DU	TOT POULTING IS	SHEET 2
																			STO'S PRINT	B6413021,02	























ECO .	ECR	4425	19 JAN. 95	REQUESTED BY	PREMIE	R PAGE	
REASON FOR			DOCUMENTS AFFECTE	D SYSTEM	MATLDISE	OSMON	
ACFT UP	TAC		SEE BELOU!		REWORK	STORE MFG.	
MARKED PRINTS ATTA	CHED			SERIAL NO EFF	SCRAP		
YES		NO 🔀	:		USE AS IS	·	
DISPOSITION / COMME				_	TOBE INCO	' '	
SEER		200	E	OATA	LATER DAT	, E	
		. '		***************************************			
DESCRIPTION	V	ļŧt			sportion incorp		3
" DUG. NO)''	REV.	IS STON	o. KDD	TO USE	00N"	
B30.23			548625	7	ock "417		
000-13	000	E	SHEAT	75W		-	
000.130		E	SH8478	35W			
000-13		E	5H847	750			
B64.130	20		54844	35W			
BCA-130	021		L(1	
BC2 - 130	つてて	<u></u>	t 1				
B74.22	$z\infty \epsilon$	1 ,	10	This po	rtion Incorp per	Eco 4991	-
B19. 13	3000	> H	5H8Z0Z	5W	•		
B19-13	003	B	11				
BZO. 13	101	G	SHB127	SW			m
B19-130	501	(4)	5H7748	5W			
B20.130	006		et j				
B74-24	017	H	11				
- Casal-Casa		8 ,	1	}			
-PC-Nacina							
			:				
IMPA		ES NO	PROCUREMENT	PRIORITY	CHANGE CLASSIFIC	NOITAC	贝
INTERCHANGEABILITY DRAWING CHANGE	•		ACTION YES NO	2 🗆	RECORD PMA MAJOR	I TSO MAJOR	18
SPECIFICATION SPARES				3		TSO MINOR	
PREPARED BY	DATE/	PROJECT EN	G DATE	QA.	DATE FAA SUBMIT	- 7,50 11111011	
CHECKED BY	719195 DATE	MFG		The Same	19/15 YE		
W. Hameler	1/19/95	INFG	DATE	PROD SPRT	DATE ENGRG A	1 1 1	
" I VOTILA	1//~				II. MARKE	her 1/19/95	

■ ECO □	ECR	4656	EFF DATE O	1	REQUESTED BY	1	PREMIER	PAGE	- 1
REASON FOR		, , ,	<u> </u>	OV. 95 S AFFECTED	N'EIVEN SYSTEM	ファラー		OF	_
l /^\		*	I .	0505	2121041		MATLDISPOST	TION TIN	_
CERTIFICA			Bod-	1.4.3	SERIAL NO EFF	<u>.</u>	REWORK	STORE MFG	
MARKED PRINTS ATTA	CHED	NO 🔀		3022		}	SCRAP	<u> </u>	
\		<u> </u>	1014-	22.008			USE AS IS	4	_
DISPOSITION / COMME TEGG - 1302 TEGG - 1302	OFE		C.	n N	LDEFOEL	TEA	a+		
B94-226	The second second	-V. (2)	C.	あ	ATEE DA	il time.	STC SH844	35W)	
DESCRIPTION									ا حس
				 				1	
4	makes southern	11717	199	بريسيو و ا	er.	> I _	ck To	÷	
Φ Δ	120	212	ĺ	ueti) C/NJ T	- LOC	£ 10		
Jan.	かる。	And that they	1 SHE	to also	D V toni				
·		•							
		•		<u>:</u>					
B74-	2200	58 /u	corp	per	ECO 49	91			
									144
									- N. Assessed
				:					Ì
				•					-
				:					
				•					ĺ
								•	
		4	-	•					
				: .					問
				•					Ö
				:					
									8
									Š
				:					č
IMPA		YES NO	PROCUR		PRIORITY	С	HANGE CLASSIFICAT	ION	
INTERCHANGEABILITY			ACT		1 📙		RECORD MAJOR	TSO MAJOR	S
DRAWING CHANGE SPECIFICATION			YES	NO	3				
SPARES PREPARED BY	DATE,	PROJECT EN		et. 11.717. i i i i i i i i i i i i i i i i i	A/ 1-//	PMA DATE		TSO MINOR	-
Latestino	1/30/95	1.1.00,001 131			Tun State	1/30			***
CHECKED BY	DATE	MFG		DATE P	ROD SPRT	DATE	77) (\ 1		_
W//	11/30/90-		_ partimone de la comprese del comprese de la comprese del la comprese de la comprese de la comprese del la comprese de la comprese de la comprese del la comprese de la comprese del la comprese de la comprese de la comprese del la comprese de la comprese de la comprese del la comprese d	Went of the state	1. Commence	-	1/1///	11/30/-	

ECO ECR 4834	EFF DATE OF CHG 9/13/96	REQUESTED BY ECR 971	PREMIER	PAGE OF
REASON FOR CHANGE	DOCUMENTS AFFECTED	SYSTEM BLEED AIR ECU	MATL DISPO	SITION
ADD NOTES	B64-13021 REV "C"	DUCT ROUTING	REWORK	STORE MFG.
MARKED PRINTS ATTACHED	REV C	SERIAL NO EFF	SCRAP	
YES NO			USE AS IS	,
DISPOSITION/COMMENTS				
THIS ECO UNINCORPORAT REV; IS "C"	FES ECR 971			
REV, 15 C			STC SH844	-35W
DESCRIPTION				oter a filosoficial de la filosoficia de la materia de la materia de la filosoficia de la filosoficia de la fi
LOCATION DWGN B64-13	3021 SHEET 1	ZONE SC ON	N PI ZONES	1C-1D
LOCATION DWGN D04 1	JUZI, JHEET L	ZUINE OU MIN.	D I L , ZUNES	
ADDED:		_		
^				
ALTERNATE	E MATL. THK .	. 093		sie _austra
/ 4	KYDEX 100 PAF			## v.
				•
				3
I				
				(
				(
			·	
IMPACT YES NO	PROCUREMENT	PRIORITY	CHANGE CLASSIF	ICATION
INTERCHANGEABILITY DRAWING CHANGE	PROCUREMENT ACTION YES NO		RECOF	ICATION
INTERCHANGEABILITY DRAWING CHANGE SPECIFICATION	ACTION	1 0 0	RECOR PMA MAJOR 🖸 TS	ICATION RD
INTERCHANGEABILITY DRAWING CHANGE	ACTION YES NO	1 0 0	RECOR PMA MAJOR 🖸 TS	ICATION RD SO MAJOR SO MINOR
INTERCHANGEABILITY DRAWING CHANGE SPECIFICATION SPARES	ACTION YES NO	1 0 0	RECORPMA MAJOR ITS	ICATION RD SO MAJOR SO MINOR

ECO ECR 4842	err date of chg	WAYNE JOHNSON	PREMIER	OF /
REASON FOR CHANGE	DOCUMENTS AFFECTED	SYSTEM	MATIL DISPOSI	TON TON
. 190 THE KYDEY IS NOT	B64-13021	BLEED AIR ECU	REWORK	STORE MFG.
AUAIBLE MARKED PRINTS ATTACHED		SERIAL NO EFF	SCRAP	BIOKE IIII
YES NO			USE AS IS	
DISPOSITION / COMMENTS			<u> </u>	
THIS IS AN UNINCORPOR	eted Eco.			
; ;				
REVISION C.			C SH84435	
DESCRIPTION LOCATION	0 : DOGO. DO.	B64-13021, SI	JEET 6, Zas	NE 5B.
-Anna Carlo				
(WAS) . 190 THK	V V D EX 100			
(±s) - 125 THIL	NATERIAL:			
(ts) .125 THE	[29]J27 10m			
		•		
•				
		•		
		,		
				7
				-
			•	
				1
				<u> </u>
IMPACT YES NO	PROCUREMENT ACTION	PRIORITY (CHANGE CLASSIFICAT RECORD	rion [
INTERCHANGEABILITY E DRAWING CHANGE	YES NO	l '		TSO MAJOR
SPECIFICATION		3 9 D PM	A MINOR	TSO MINOR
PREPARED BY DATE PROJECT	ENG DATE C	DAT		1i
GLORA I. MARSHAU 9/17/96 -	9	Wednigh 9/19	196 YES	
CHECKED BY DATE MEG	DATE / F	PROD SPRT DAT		P DATE
Muss World Jy	2/17/50		- W. Hames	2/17/96